

PISTON COMPRESSOR NEBULIZER



CE
0434

ReadyMist™

Piston Compressor NEBULIZER

- Extremely Powerful • Effective medication delivery
- One-button operation • Easy carry handle • Ideal for all ages

SPECIFICATIONS	
POWER	AC 230V, 50 Hz/60Hz
CURRENT	0.8A
MEDICATION CAPACITY	5ml
PARTICLE SIZE	0.5 TO 10 µm
MMAD	4 µm
SOUND LEVEL	Around 60 dBA
MAXIMUM MEDICATION CAPACITY	13ml (cc)
AVERAGE NEBULIZATION RATE	Minimum 0.2ml/min
COMPRESSOR PRESSURE RANGE	30 to 36 Psi (210 to 250 Kpa/2.1 to 2.5 bar)
OPERATING PRESSURE RANGE	8 to 16 Psi (50 to 100 KPa/0.5 to 1.0 bar)
LITER FLOW RANGE	6 - 8 lpm
OPERATING TEMPERATURE RANGE	10°C to 40°C (50°F to 104°F)
OPERATING HUMIDITY RANGE	10 to 95% RH
STORAGE TEMPERATURE RANGE	-20°C to 70°C (-4°F to 158°F)
STORAGE HUMIDITY RANGE	10 to 95% RH
BOX DIMENSION (L X W X H)	280x190x100 mm
STANDARD ACCESSORIES	Dependable Compressor, Nebulizer, Air Tube, Angled mouthpiece, 5 air filters, connecting tube.

Specially Designed
for Children



CE
0434



Ready Bear

Piston Compressor NEBULIZER

SPECIFICATIONS	
POWER	AC 230v, 50Hz/60Hz
CURRENT	0.8A
MEDICATION CAPACITY	5ml
PARTICLE SIZE	0.5 TO 10 µm
MMAD	4µm
SOUND LEVEL	Around 60 dBA
MAXIMUM MEDICATION CAPACITY	13ml (cc)
AVERAGE NEBULIZATION RATE	Min 0.2ml/min
COMPRESSOR PRESSURE RANGE	30 to 36 Psi (210 to 250 Kpa/2.1 to 2.5 bar)
OPERATING PRESSURE RANGE	8 to 16 Psi (50 to 100KPa/0.5 to 1.0 bar)
LITER FLOW RANGE	6 - 8 lpm
OPERATING TEMPERATURE RANGE	10°C to 40°C (50°F to 104°F)
OPERATING HUMIDITY RANGE	10 to 95% RH
STORAGE TEMPERATURE RANGE	-20°C to 70°C (-4°F to 158°F)
STORAGE HUMIDITY RANGE	10 to 95% RH
BOX DIMENSION (LxWxH)	245X235X170mm
STANDARD ACCESSORIES	Dependable Compressor, Nebulizer, Air Tube, Angled mouthpiece, 5 air filters, connecting tube, pediatric mask



CE
0120



Ready Neby

Piston Compressor NEBULIZER

SPECIFICATION	
ELECTRICAL REQUIREMENTS	220V AC / 50Hz or 110V 60HZ
POWER CONSUMPTION	Below 60W
RATED CURRENT	0.7 A or 1.5A
DIMENSIONS	Length 280 mm × Width 165 mm × Height 90mm
WEIGHT	1.5 kg(3.3 lbs)
SOUND PRESSURE LEVEL	55 dB(A)
AVERAGE NEBULIZATION RATE	Min 0.2 ml /min
MAX COMPRESSURE	35 Psi to 50psi (241 kpa to 345 kpa)
NEB. OPERATING PRESSURE	9-16Psi (62kpa to 110kpa)
LITER FLOW RANGE	5-8L/Min
PARTICAL SIZE LESS THAN	4 microns
MAXIMUM NEBULIZER SOLUTION CAPACITY	6ml
OPERATING TEMPERATURE	-10 C to +40 C
OPERATING HUMIDITY	30% RH to 85% RH
STORAGE/TRANSPORT TEMPERATURE RANGE	-20 C to +70 C
STORAGE/TRANSPORT HUMIDITY	10% RH to 95% RH
OPERATING AND STORAGE/TRANSPORT ATMOSPHERIC PRESSURE	700mb to 1,060mb



CE



Ready PORT

MICRO PISTON COMPRESSOR PORTABLE NEBULIZER

- Ideal for International Travellers • With Rechargeable Battery
- Effective Medication Delivery • With DC Car Adaptor
- Works on all voltages from 100v to 240v

SPECIFICATIONS	
Power	NiMH battery, 12-volt AC, 12-volt DC
Wattage	96 W / 96 VA
NiMH Battery Capacity	1600 mAh
NiMH Battery Use Time	Approximately 45 minutes
Medicine Capacity	13 cc
Particle Size	0.5 to 10 µm
Sound Level	60 dBA
Motor Type	Micro Piston pump
Average Nebulization Rate	0.2ml / min
Compressor Pressure Range	30 to 36 psi (207 to 248 kpa/2-1 to 2.5 bar)
Operating Pressure Range	8 to 10 psi (55 to 70 Kpa / 0.5 to 0.7 bar)
Liter Flow Range	4-8 lpm
Operating Temperature Range	50.0°F to 104.0°F (10.0°C to 40.0°C)
Operating Humidity Range	10 to 90% RH
Storage Temperature Range	-13.0°F to 158.0°F (-25.0°C to 70.0°C)
Storage Humidity Range	10 to 90% RH
Dimensions	5-1/8" x 3-1/2" x 1-3/4" without battery pack 5-1/8" x 3-1/2" x 2-1/2" with battery pack
Approximate Weight	12.5 oz. without battery pack 1 lbs. 9 oz. with battery pack
Standard Accessories	Specifications are subject to change without notice. Portable Compressor, Nebulizer, Angled mouthpiece, 7' air tubing, Rechargeable battery pack, Rubber base Adult mask, Child's mask, AC adaptor, DC auto adaptor, 5 air filters, Carry bag



CE
0434

Compact Yet Powerful



NEW READYSOL

ULTRA COMPACT PISTON COMPRESSOR NEBULIZER

Introducing a high quality high performance piston nebulizer in an extremely ultra compact form

SPECIFICATIONS	
POWER	AC 230V, 50 HZ
POWER CONSUMPTION	80 VA
MEDICATION CAPACITY	5ml
PARTICLE SIZE	0.5 TO 10 µm
SOUND LEVEL	60 dBA
AVERAGE NEBULIZATION RATE	0.2ml/min
OPERATING PRESSURE RANGE	10 to 16 Psi (70 to 110 KPa)
LITER FLOW RANGE	4 - 8 lpm
OPERATING TEMPERATURE RANGE	10°C to 40°C (50°F to 104°F)
OPERATING HUMIDITY RANGE	10 to 90% RH
STORAGE TEMPERATURE RANGE	-20°C to 70°C (-4°F to 158°F)
STORAGE HUMIDITY RANGE	10 to 95% RH
DIMENSION (L X W X H)	100x140x160 mm
STANDARD ACCESSORIES	Nebulizer, Air Tube, mouthpiece, 5 air filters, connecting tube, Storage Bag



CE
FDA



Ready Jet

NEBULIZER CHAMBER

For Extremely Fast Nebulizing

Suitable for all Piston Compressor Nebulizers Such as Ready Mist, Ready Sol, Ready Neb, Ready Bear and other Leading Models

- How To Use**
- Gently twist the top part of the nebulizer counter-clockwise to disassemble the nebulizer.
 - Fill the bottom section of the nebulizer bottle with the medication prescribed by your physician. Be sure that the cone is put inside the bottom section.
 - Gently twist the top part clockwise to reassemble the nebulizer. Be sure the two sections fit well.
 - Attach one end of air tube to the base of the nebulizer.
 - Attach the other end of air tube to the tube connector located on the front of the compressor.
 - Attach mouth piece or mask per your choice to the top section of nebulizer.

Place cone inside and fill medication



SPECIFICATIONS	
Particle Size	0.5 To 10 µm.
Respirable Fraction	80% between Place 0.5 -5µm.
MMAD	1.3 micron.
Nebulization Rate	≥ 0.3 ml / min.
(depends on viscosity of medicine)	